

## INDEX TO VOLUME CLIV (A)

- Adsorption measurement at the air-water interface (McBain and Swain), 608.
- Alcohols, initial formation during the slow combustion of methane and ethane at atmospheric pressure (Newitt and Gardner), 329.
- Atmosphere, upper, temperatures and constituents of (Martyn and Pulley), 455.
- Atomic weights, calculation of (Wilson), 560.
- Bartlett (M. S.) Statistical information and properties of sufficiency, 124.
- Bell (R. P.) The theory of reactions involving proton transfers, 414.
- Beryllium, self-consistent field, with exchange (Hartree and Hartree), 588.
- Bhabha (H. J.) The scattering of positrons by electrons, with exchange, on Dirac's theory of the positron, 195.
- Blackett (P. M. S.) The measurement of the energy of cosmic rays. I—The electro-magnet and cloud chamber, 564.
- Blackett (P. M. S.) and Brode (R. B.) The measurement of the energy of cosmic rays. II—The curvature measurements and the energy spectrum, 573.
- Bone (W. A.) and Gardner (J. B.) Comparative studies of the slow combustion of methane, methyl alcohol, formaldehyde, and formic acid, 297.
- Boron, disintegration into three  $\alpha$ -particles (Dee and Gilbert), 279.
- Bore in the Trent (Champion and Corkan), 158.
- Bosworth (R. C. L.) The mobility of potassium on tungsten, 112.
- Bowden (F. P.) and Ridler (K. E. W.) Physical properties of surfaces. III—The surface temperature of sliding metals. The temperature of lubricated surfaces, 640.
- Bowen (E. J.) Heterochromatic photometry of the ultra-violet region, 349
- Brode (R. B.) *See* Blackett and Brode.
- Carmichael (H.) The nature of large cosmic-ray bursts, 223.
- Cartwright (C. H.) and Errera (J.) Extreme infra-red dispersion of polar and non-polar liquids, 138.
- Castigliano's principle of minimum strain-energy (Southwell), 4.
- Catalysis and inhibition of a homogeneous gas reaction (Staveley and Hinshelwood), 335.
- Chamberlain (E. A. C.) *See* Townend and Chamberlain.
- Champion (the late H. H.) and Corkan (R. H.) The bore in the Trent, 158.
- Clay suspensions, coagulation of (Russell), 550.
- Cockcroft (J. D.) and Lewis (W. B.) Experiments with high velocity positive ions. V—Further experiments on the disintegration of boron; VI—The disintegration of carbon, nitrogen, and oxygen by deuteron, 246, 261.
- Combustion, slow, of methane, methyl alcohol, formaldehyde, and formic acid (Bone and Gardner), 297.
- Combustion, slow, of methane, and ethane, formation of alcohols during (Newitt and Gardner), 329.
- Corkan (R. H.) *See* Champion and Corkan.
- Cosmic-ray bursts (Carmichael), 223.
- Cosmic rays, energy of (Blackett, and Blackett and Brode), 564, 573.
- Curvature measurements and energy spectrum (Blackett and Brode), 573.

- Darwin (C. G.) The inertia of electrons in metals, 61.
- Dee (P. I.) and Gilbert (C. W.) The disintegration of boron into three  $\alpha$ -particles, 279.
- Dibenzyl series, X-ray analysis, III (Robertson and others), 187.
- Dyes, cyanine, absorption spectra of typical symmetrical (Fisher and Hamer), 703.
- Dynamics, foundations (Milne), 22.
- Electrons, in metals, the inertia of (Darwin), 61.
- Electrons, scattering of positrons (Bhabha), 195.
- Energy, lattice, of a  $n$ -CH<sub>2</sub> chain (Müller), 624.
- Equilibrium and elastic stability of a thin twisted strip (Green), 430.
- Errera (J.) *See* Cartwright and Errera.
- Fisher (N. I.) and Hamer (F. M.) A comparison of the absorption spectra of some typical symmetrical cyanine dyes, 703.
- Flow along a flat plate (Howarth), 364.
- Gardner (J. B.) *See* Bone and Gardner.
- Gardner (J. B.) *See* Newitt and Gardner.
- Gas-air mixtures, inflammable, influence of pressure on the spontaneous ignition, IV (Townend and Chamberlain), 95.
- Gelation, thixotropic (Russell and Rideal), 540.
- Gibson (R. O.) *See* Williams, Perrin, and Gibson.
- Gilbert (C. W.) *See* Dee and Gilbert.
- Glazebrook (Sir Richard) and Lyon (H. M.) On the force between two coaxial single layer helices carrying current, 1.
- Goodeve (C. F.) and Taylor (A. W. C.) The continuous absorption spectrum of hydrogen iodide, 181.
- Gough (H. J.) and Wood (W. A.) A new attack upon the problem of fatigue of metals, using X-ray methods of precision, 510.
- Green (A. E.) The equilibrium and elastic stability of a thin twisted strip, 430.
- Hamer (F. M.) *See* Fisher and Hamer.
- Hartree (D. R.) and Hartree (W.) Self-consistent field, with exchange, for beryllium. II—The (2s) (2p) <sup>3</sup>P and <sup>1</sup>P excited states, 588.
- Hartree (W.) *See* Hartree and Hartree.
- Heat, specific, electron of metals (Stoner), 656.
- Helices, single layer coaxial, force between two, carrying current (Glazebrook and Lyon), 1.
- Helium-ratios of rocks and minerals from the diamond pipes of South Africa (Holmes and Paneth), 385.
- Hinshelwood (C. N.) *See* Staveley and Hinshelwood.
- Holmes (A.) and Paneth (F. A.) Helium-ratios of rocks and minerals from the diamond pipes of South Africa, 385.
- Hooker (S. G.) On the action of viscosity in increasing the spacing ratio of a vortex street, 67.
- Howarth (L.) On the calculation of the velocity and temperature distributions for flow along a flat plate, 364.
- Hulme (H. R.) On the interaction of two particles, 487.

- Infra-red dispersion of polar and non-polar liquids (Cartwright and Errera), 138.
- Ions, positive, experiments with high velocity, V and VI (Cockcroft and Lewis), 246, 261.
- Isotope shift in the resonance line of magnesium (Jackson and Kuhn), 679.
- Jackson (D. A.) and Kuhn (H.) Isotope shift in the resonance line of magnesium, 679.
- Janson (S. E.) and Pope (Sir William) The symmetrical *spiro*-heptanediamine and its resolution into optically active components, 53.
- Keeley (T. C.) and Mendelssohn (K.) Magnetic properties of supraconductors, 378.
- Kuhn (H.) See Jackson and Kuhn.
- Lattice energy of a  $n$ -CH<sub>2</sub> chain (Müller), 624.
- Lewis (W. B.) See Cockcroft and Lewis.
- Liquids, polar and non-polar, extreme infra-red dispersion (Cartwright and Errera), 138.
- Lyon (H. M.) See Glazebrook and Lyon.
- Magnet, electro-, and cloud chamber (Blackett), 564.
- Magnesium, isotope shift in the resonance line of (Jackson and Kuhn), 679.
- Martyn (D. F.) and Pulley (O. O.) The temperatures and constituents of the upper atmosphere, 455.
- McBain (J. W.) and Swain (R. C.) Measurements of adsorption at the air-water interface by the microtome method, 608.
- Mendelssohn (K.) See Keeley and Mendelssohn.
- Mercury line 2537 Å, fluorescent emission at pressures between  $10^{-3}$  and  $10^{-1}$  (Pringsheim and Saltmarsh), 90.
- Metals, fatigue of, the use of X-ray methods in studying (Gough and Wood), 510.
- Milne (E. A.) On the foundations of dynamics, 22.
- Müller (A.) The van der Waals potential and the lattice energy of a  $n$ -CH<sub>2</sub> chain molecule in a paraffin crystal, 624.
- Newitt (D. M.) and Gardner (J. B.) The initial formation of alcohols during the slow combustion of methane and ethane at atmospheric pressures, 329.
- Nitric oxide, influence of, on the decomposition of diethyl ether (Staveley and Hinshelwood), 335.
- Paneth (F. A.) See Holmes and Paneth.
- Paramagnetism in metals (Stoner), 656.
- Particles, two, interaction of (Hulme), 487.
- Peierls (R.) Statistical theory of superlattices with unequal concentrations of the components, 207.
- Perrin (M. W.) See Williams, Perrin, and Gibson.
- Photometry, heterochromatic, of the ultra-violet region (Bowen), 349.
- Pope (Sir William) See Janson and Pope.
- Positrons, the scattering by electrons (Bhabha), 195.
- Potassium, mobility on tungsten (Bosworth), 112.
- Prasad (M.) See Robertson and others.
- Pressure, high, effect on reactions (Williams, Perrin, and Gibson), 684.

- Pringsheim (P.) and Saltmarsh (O. D.) Fluorescent emission of the mercury line 2537 Å at pressures between  $10^{-3}$  and  $10^{-1}$  mm, 90.
- Prism, flexure of, with cross-section bounded by a cardioid (Shepherd), 500.
- Proton transfers, reactions involving (Bell), 414.
- Pulley (O. O.) *See* Martyn and Pulley.
- Relativity, general, Gauss's theorem in (Temple), 354.
- Rideal (E. K.) *See* Russell and Rideal.
- Ridler (K. E. W.) *See* Bowden and Ridler.
- Robertson (J. M.), Prasad (M.), and Woodward (I.) X-ray analysis of the dibenzyl series. III—The structure of stilbene, tolane, and azobenzene, 187.
- Russell (J. L.) and Rideal (E. K.) Studies in thixotropic gelation. I—The mechanism of thixotropic gelation, 540.
- Russell (J. L.) Studies in thixotropic gelation. II—The coagulation of clay suspensions, 550.
- Saltmarsh (O. D.) *See* Pringsheim and Saltmarsh.
- Self-consistent field, with exchange, for beryllium (Hartree and Hartree), 588.
- Shepherd (W. M.) The flexure of a prism with cross-section bounded by a cardioid, 500.
- Southwell (R. V.) Castigliano's principle of minimum strain-energy, 4.
- Spectra absorption of some typical symmetrical cyanine dyes (Fisher and Hamer), 703.
- Spectrum, continuous absorption, hydrogen iodide (Goodeve and Taylor), 181.
- Spectrum, energy, of cosmic rays (Blackett and Brode), 573.
- Spiro*-heptanediamine, symmetrical, resolution into optically active components (Janson and Pope), 53.
- Stability, elastic, and equilibrium of a thin twisted strip (Green), 430.
- Statistical information and properties of sufficiency (Bartlett), 124.
- Staveley (L. A. K.) and Hinshelwood (C. N.) Catalysis and inhibition of a homogeneous gas reaction. The influence of nitric oxide on the decomposition of diethyl ether, 335.
- Stoner (E. C.) Collective electron specific heat and spin paramagnetism in metals, 656.
- Strain-energy, minimum, Castigliano's principle (Southwell), 4.
- Superlattices, statistical theory (Peierls), 207.
- Supraconductors, magnetic properties of (Keeley and Mendelssohn), 378.
- Surfaces, physical properties of (Bowden and Ridler), 640.
- Surfaces, the temperature of lubricated (Bowden and Ridler), 640.
- Swain (R. C.) *See* McBain and Swain.
- Taylor (A. W. C.) *See* Goodeve and Taylor.
- Temple (G.) Gauss's theorem in general relativity, 354.
- Thixotropic gelation (Russell and Rideal, and Russell), 540, 550.
- Townend (D. T. A.) and Chamberlain (E. A. C.) The influence of pressure on the spontaneous ignition of inflammable gas-air mixtures. IV—Methane-, ethane-, and propane-air mixtures, 95.
- Trent bore (Champion and Corkan), 158.
- Tungsten, mobility of potassium on (Bosworth), 112.

Ultra-violet region, heterochromatic photometry of (Bowen), 349.

Van der Waals potential (Muller), 624.

Viscosity, action in increasing the spacing ratio of a vortex street (Hooker), 67.

Vortex street, the spacing ratio of (Hooker), 67.

Williams (E. G.), Perrin (M. W.), and Gibson (R. O.) The effect of pressure up to 12,000 kg/cm<sup>2</sup> on reactions in solution, 684.

Wilson (H. A.) The calculation of atomic weights from nuclear reaction energies, 560.

Wood (W. A.) *See* Gough and Wood.

Woodward (I.) *See* Robertson and others.

X-ray analysis of the dibenzyl series, III (Robertson and others), 187.

END OF THE ONE HUNDRED AND FIFTY-FOURTH VOLUME (SERIES A)

---