

PROCEEDINGS  
OF  
THE ROYAL SOCIETY

Series A Mathematical and Physical Sciences  
No 1245      29 July 1958      Vol 246

Published by the Royal Society  
Burlington House  
Piccadilly  
London, W. 1

*Price Eighteen Shillings*

## PRICES OF THE 'PROCEEDINGS'

The 'Proceedings' of the Royal Society, both Series A and Series B, are on sale to the public at the prices printed on the wrappers (i.e. 18s. per part, post extra). Cloth bound volumes are available at £4 per volume (post extra).

## SUBSCRIPTIONS TO THE 'PROCEEDINGS'

Subscriptions may be placed with the Royal Society, payable in advance of publication of the four parts comprising the volume, at the following rates:

Volume in parts as issued	£3. 5s. (post free); in the U.S.A. \$11.00.
Cloth bound volume	£3. 10s. (post free).

## NOTICE TO AUTHORS AND COMMUNICATORS

No scientific communication or paper is considered, read or published by the Royal Society unless it has been communicated by a Fellow or Foreign Member of the Society, whose duty it shall be 'to satisfy himself that any letter, report, or other paper which he may communicate is suitable to be read before the Society' (Statute 64).

In view of the necessity for economy, authors of papers submitted to the Royal Society are required to put their communications in as concise a form as possible. MSS should be typewritten, carefully revised and properly prepared as copy for press. It is desirable that authors should retain copies of their MSS for reference.

The communicator shall also be responsible for the suitable presentation of the MS and for its grammatical correctness. The Secretaries reserve the right to return a MS to the author for retyping or other adequate preparation if it is received prepared or presented in a state which would make it difficult for the compositor to set.

Every paper must be accompanied by *three copies* of a brief summary not exceeding 5% of the length of the paper or one page of 'Proceedings'.

Authors are requested to send in all drawings, diagrams or other illustrations in a state suitable for direct photographic reproduction. They should be drawn on a large scale in Indian ink on Bristol board or on good quality tracing linen or tracing paper, with temporary lettering in blue pencil. Great care should be exercised in selecting only those that are essential. If unsatisfactory drawings are submitted authors may be required to have them redrawn by a professional artist.

It is to be understood that papers are only accepted on the assumption that authors are prepared to conform with the instructions to authors prescribed by the Royal Society.

Copies of *Notes on the preparation of papers to be communicated to the Royal Society* will be sent to communicators and authors of papers on application to the Assistant Secretary.

## AN AUTHOR INDEX TO THE 'PROCEEDINGS', 'PHILOSOPHICAL TRANSACTIONS' AND 'OBITUARY NOTICES' OF THE ROYAL SOCIETY

'Proceedings', Vols. 1-75, covering the period 1800-1905. (Now out of print.)

'Proceedings', covering the period 1905-1930, and 'Philosophical Transactions', covering the period 1901-1930. Price 10s. Cloth bound.

'Proceedings' and 'Philosophical Transactions' covering the period 1931-1940. Price 7s. 6d. Cloth bound.

'Proceedings', 'Philosophical Transactions' and 'Obituary Notices' covering the period 1941-1950. Price 7s. 6d. cloth bound; 5s. paper covered.

# A DISCUSSION ON THE INITIATION AND GROWTH OF EXPLOSION IN SOLIDS

UNDER THE LEADERSHIP OF F. P. BOWDEN, F.R.S.

(*Discussion held 30 May 1957—Received 16 December 1957*)

[Plates 4 to 23]

## CONTENTS

		PAGE
F. P. BOWDEN, F.R.S.	Introduction	146
	<i>Discussion.</i> J. V. R. Kaufman, P. Gray, G. T. Rogers	153
PART I. INITIATION OF EXPLOSION		
G. B. COOK.	The initiation of explosion in solid secondary explosives	154
C. H. JOHANSSON and others.	The initiation of liquid explosives by shock and the importance of liquid break-up	160
G. J. BRYAN and E. C. NOONAN.	Energy requirements for the ignition of seven solid explosives	167
J. I. EVANS and A. M. YUILL.	Initiation of condensed explosives by compression of the surrounding gas	176
F. A. H. RICE and D. LEVINE.	Studies on the oxidation induced by ultrasonic radiation on a solid system of lauryl aldehyde and potassium chlorate	180
	<i>Discussion.</i> J. M. Grocock, C. H. Johansson, P. Gray, G. B. Cook, A. M. Yuill	186–8
R. M. H. WYATT, P. W. J. MOORE, G. K. ADAMS and J. F. SUMNER.	The ignition of primary explosives by electric discharges	189
	<i>Discussion.</i> F. P. Bowden, F.R.S., G. K. Adams, P. W. J. Moore, J. H. L. McAuslan, G. T. Rogers	194–6
F. P. BOWDEN, F.R.S. and A. C. McLAREN.	The explosion of silver azide in an electric field	197
B. L. EVANS.	Structure and stability of inorganic azides	199
	<i>Discussion.</i> P. Gray	202
W. E. GARNER, F.R.S.	Thermal decomposition, inflammation, and detonation	203
B. E. BARTLETT, F. C. TOMPKINS, F.R.S. and D. A. YOUNG.	The decomposition of silver azide	206
	<i>Discussion.</i> J. H. L. McAuslan, F. C. Tompkins & D. A. Young, P. Gray, F. C. Tompkins & D. A. Young, P. W. Levy, R. A. W. Hill	212–16
F. P. BOWDEN, F.R.S.	The initiation of explosion by neutrons, $\alpha$ -particles and fission products	216
	<i>Discussion.</i> D. A. Young	218
J. V. R. KAUFMAN.	The effect of nuclear radiation on explosives	219

	PAGE
J. M. GROOCCOCK.	The effect of high energy X-rays and pile radiation on the thermal decomposition and thermal explosion of $\alpha$ -lead azide 225
R. W. DREYFUS and P. W. LEVY.	Preparation and properties of crystals of $\text{KN}_3$ and $\text{NaN}_3$ 233
J. EGGERT.	The initiation of explosion by light 240
J. H. L. MCAUSLAN.	Ignition of explosives by light 248
A. C. McLAREN and G. T. ROGERS.	The optical and electrical properties of silver azide and their relation to its decomposition 250
PART II. GROWTH OF EXPLOSION	
A. D. YOFFE.	The growth of explosion in solids 254
K. K. ANDREEV.	Some considerations on the mechanism of initiation of detonation in explosives 257 <i>Discussion.</i> P. W. Levy 267
G. P. CACHIA and E. G. WHITBREAD.	The initiation of explosives by shock 268
R. J. EICHELBERGER and M. SULTANOFF.	Sympathetic detonation and initiation by impact 274
M. A. COOK, D. H. PACK and W. A. GEY.	Deflagration to detonation transition in solid and liquid explosives 281
W. R. MARLOW and I. C. SKIDMORE.	The initiation of condensed explosives by shock waves from metals 284
C. H. WINNING.	The underwater shock-wave initiation of cast pentolite 288
F. P. BOWDEN, F.R.S.	Conclusion 296

## Introduction

BY F. P. BOWDEN, F.R.S.

*Research Laboratory for the Physics and Chemistry of Solids, Department of Physics, University of Cambridge*

[Plate 4]

In this Discussion we are concerned with the mechanism by which an explosion can be initiated in a solid or liquid and can grow to a high-velocity detonation. It is convenient to divide the process into four stages:

- (1) initiation in some localized region;
- (2) the growth of the explosion;
- (3) a transition stage or low-velocity detonation which finally passes over to:
- (4) a high-velocity stable detonation.

Stage (4) has been dealt with at an earlier Discussion in this Society led by Sir William Penney (1950). Here we propose to concentrate our attention on (1), (2) and (3). We shall begin with the initiation process and then later in the Discussion go on to consider the growth to detonation.